




LYMPHOMA

H

NH

"PATIENTS ARE BOTHERED BY B STS"

BOTH MAY PRESENT WITH CONSTITUTIONAL ("B") S/ST

LOW-GRADE FEVER
NIGHT SWEATS
WEIGHT LOSS

- LOCED
SINGLE GROUP NODES
- CONTINUOUS SPREAD
(STAGE = STRONGEST PREDICATOR
OF IT)
- OVERALL IT

- MULTIPLE LN INVOLVED
- EXTENDED INVOLV
- NON CONTIG SPREAD

REED - STEINBERG

MAJ (B)
FEW (T) LINGERS


- BIMODAL DISTRIBUTION
YOUNG (&) > 55Y

CHILDREN & ADULTS


- MC IN ♂
EXCEPT NODULAR
SCALING
TYPE


↔ EBV

↔ MAY HIV & AUTOIMM









SCENARIOS
SCENARIOS



	WBCs	WBCs	PLAT	PHILAD CHAIN	DOVC?
PCV	↑	↑	↑		
ET	-	-	↑	⊖	⊕ -30-50%
MF	↓	↗	↗		-30-50%
CML	↓	↑	↑	⊕	⊖

DOVC?
 PCV ↑




~~250 NOT A GOOD THING TO DO~~

~~ALL THE 200-1007~~

POLYCYTHEMIA

		ASSOCIATION				
		PRIMA COL	RBC MASS	DZ SALMAN	EPO LVL	PERYDAN RUNS
RELATIVE						
ABSOLUTE	APPROPRIATE	-	↑	(↓)	↑	UNV D CHD HIGH ACTIVITY
	INAPPROPRIATE	-	↑	-	↑	MAL (NCC MCC) HYDROPHOBIC ← EPOIC EPO SEC ⁿ
PCV		↑	(↑↑)	-	↓	EPO ↓ IN PCV ← NEG FB SUPPRESSING EPO PRODUC ⁿ

~~RECORD~~



~~DERMID SYSTEM OUT~~

